



MATERIAL SAFETY DATA SHEET

BH180GW - MOD. PLUS NP180GM4FR - WHITE

1. Product And Company Identification	
Supplier HENRY COMPANY 999 N. Sepulveda Blvd., Suite 800 El Segundo, CA 90245-2716 Company Contact: Technical Services Telephone Number: (800) 486-1278 Web Site: www.henry.com www.bakor.com	Manufacturer HENRY COMPANY 999 N. Sepulveda Blvd., Suite 800 El Segundo, CA 90245-2716 Company Contact: Technical Services Telephone Number: (800) 486-1278 Web Site: www.henry.com www.bakor.com
Supplier Emergency Contacts & Phone Number CHEMTREC: (800) 424-9300 CHEMTREC: (703) 527-3887 CANUTEC: (613) 996-6666	Manufacturer Emergency Contacts & Phone Number CHEMTREC: (800) 424-9300 CHEMTREC: (703) 527-3887 CANUTEC: (613) 996-6666
Issue Date: 01/18/2013 Product Name: BH180GW - MOD. PLUS NP180GM4FR - WHITE Product Code: BH180GW Product/Material Uses Granulated Roofing Membrane	

2. Composition/Information On Ingredients			
Ingredient Name	CAS Number		Percent Of Total Weight
aluminum hydroxide	21645-51-2		10 - 20
asphalt, petroleum	8052-42-4		30 - 60
silica, quartz	14808-60-7		5 - 15
volcanic basalt rock	NA		30 - 50

EMERGENCY OVERVIEW

CAUTION! This product contains asphalt. Some asphalt contains sulfur compounds which may form hydrogen sulfide when heated or burned. At higher concentrations (above 10 ppm), hydrogen sulfide is extremely toxic by inhalation, may cause respiratory-tract irritation and respiratory failure, coma and death. Direct skin and eye contact may cause irritation.

Appearance/Odor:

3. Hazards Identification
Primary Routes(s) Of Entry Inhalation - possible if product becomes airborne, but considered unlikely.
Eye Hazards Particles may cause eye irritation.
Skin Hazards May cause skin irritation and contact dermatitis upon prolonged contact.
Ingestion Hazards Not a probable route of exposure.



BH180GW - MOD. PLUS NP180GM4FR - WHITE

3. Hazards Identification - Continued
<u>Inhalation Hazards</u> Not a probable route of exposure under normal conditions of use.
4. First Aid Measures
<u>Eye</u> In case of contact, hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately if irritation develops and persists.
<u>Skin</u> Remove contaminated clothing and shoes. Wash affected areas with soap and water.
<u>Ingestion</u> Get medical attention immediately. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious victim.
<u>Inhalation</u> Remove the person from the contaminated area to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention immediately.
5. Fire Fighting Measures
Flammability Class: Non Flammable
<u>Fire And Explosion Hazards</u> During a fire carbon monoxide, carbon dioxide, oxides of nitrogen and sulfur, hydrogen sulfide, and irritating and/or toxic gases may be generated.
<u>Extinguishing Media</u> Carbon dioxide, water, or dry chemical.
<u>Fire Fighting Instructions</u> Firefighters should wear self-contained breathing apparatus and full protective gear.
6. Accidental Release Measures
Collect and dispose in accordance with applicable regulations. Avoid release to waterways and sewers.
7. Handling And Storage
<u>Handling And Storage Precautions</u> Keep containers tightly closed. Store in a cool, dry, well-ventilated area. Protect from heat sparks, or flame. Use only with adequate ventilation.
8. Exposure Controls/Personal Protection
<u>Engineering Controls</u> Use with adequate general and local exhaust ventilation.
<u>Eye/Face Protection</u> Safety glasses with side shields recommended.
<u>Skin Protection</u> Use with protective gloves and apron to prevent skin contact.
<u>Respiratory Protection</u> None normally required. Respirator use may be required due to secondary operations such as cutting, sanding, buffing, etc. The level of respiratory protection needed should be based on the evaluation of chemical exposures by a health or safety professional.



BH180GW - MOD. PLUS NP180GM4FR - WHITE

8. Exposure Controls/Personal Protection - Continued

Respiratory Protection - Continued

Occupational Exposure Limits for individual ingredients (if available) are listed below.

Asphalt fume

ACGIH TLV-TWA 0.5 mg/m³ (Inhalable fraction and vapor)

Ingredient(s) - Exposure Limits

aluminum hydroxide

ACGIH TLV-TWA: 10 mg/m³ (as aluminum metal)

OSHA PEL-TWA: 15 mg/m³ (as aluminum metal) (total dust)

OSHA PEL-TWA: 5 mg/m³ (as aluminum metal) (respirable dust)

asphalt, petroleum

OSHA PEL-TWA 5mg/m³

ACGIH TLV-TWA 0.5mg/m³ (Benzene soluble aerosol)

silica, quartz

ACGIH TLV-TWA 0.025 mg/m³

OSHA PEL-TWA 30mg/m³ / (%SiO₂+2) (total dust)

OSHA PEL-TWA 10 mg/m³/ (%SiO₂+2) (respirable dust)

9. Physical And Chemical Properties

Appearance

Flexible sheet

Chemical Type: Mixture

Physical State: Solid

Boiling Point: 650-1000 °F 343-538 °C

Specific Gravity: >1.0

Percent Volatiles: <0.5%

Vapor Pressure: not applicable

Vapor Density: not available

pH Factor: not available

Solubility: not available

Evaporation Rate: not available

10. Stability And Reactivity

Stability: Stable

Hazardous Polymerization: Not expected to occur

Conditions To Avoid (Stability)

Extreme temperatures, open flames, and strong oxidants.

Hazardous Decomposition Products

Decomposition not expected to occur if handled and stored properly.

Conditions To Avoid (Polymerization)

Incomplete combustion

11. Toxicological Information

Chronic/Carcinogenicity

Crystalline silica (quartz and cristobalite) is listed by IARC as a known human carcinogen, IARC Class 1).



BH180GW - MOD. PLUS NP180GM4FR - WHITE

11. Toxicological Information - Continued

Miscellaneous Toxicological Information

Toxicological testing has not been conducted for this product overall. Available toxicological data for individual ingredients are summarized below.

Ingredient(s) - Carcinogenicity

silica, quartz
NTP - Listed On The National Toxicology Program
Listed In The IARC Monographs

Ingredient(s) - Toxicological Data

silica, quartz
LD50 (iv-rat): 500 mg/kg bw/Quartz (10-200 um)

12. Ecological Information

None identified.

13. Disposal Considerations

Dispose in accordance with applicable federal, state and local government regulations.

14. Transport Information

Ground Not restricted

IMDG Not restricted

IATA Not restricted

15. Regulatory Information

U.S. Regulatory Information

Asphalt may contain detectable amounts of chemicals known to the State of California to cause cancer or reproductive harm. Silica is known to the State of California to cause cancer.

Ingredient(s) - State Regulations

asphalt, petroleum
California - Proposition 65
silica, quartz
New Jersey - Workplace Hazard
Pennsylvania - Workplace Hazard
California - Proposition 65
Massachusetts - Hazardous Substance


Canadian Regulatory Information

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR. WHMIS Classification: Not classified or controlled.

Ingredient(s) - Canadian Regulatory Information

silica, quartz
WHMIS - Ingredient Disclosure List

BH180GW - MOD. PLUS NP180GM4FR - WHITE

NFPA 	HMIS <table border="1"><tr><td>HEALTH</td><td style="text-align: right;">*1</td></tr><tr><td>FLAMMABILITY</td><td style="text-align: right;">1</td></tr><tr><td>REACTIVITY</td><td style="text-align: right;">0</td></tr><tr><td>PERSONAL PROTECTION</td><td style="text-align: right;"><input type="text"/></td></tr></table>	HEALTH	*1	FLAMMABILITY	1	REACTIVITY	0	PERSONAL PROTECTION	<input type="text"/>
HEALTH	*1								
FLAMMABILITY	1								
REACTIVITY	0								
PERSONAL PROTECTION	<input type="text"/>								

16. Other Information

Revision/Preparer Information

This MSDS Supersedes A Previous MSDS Dated: 01/25/2010

Disclaimer

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).

HENRY COMPANY