# Henry.

### SAFETY DATA SHEET

Issue Date 20-Dec-2015

Revision Date 11-Mar-2016

Version 1

#### **1. IDENTIFICATION**

Product identifier Product Name

HENRY AIR BLOC 21 TROWEL GRADE

Other means of identificationProduct CodeHE021AAUN/ID noUN1133SynonymsNone

Recommended use of the chemical and restrictions on useRecommended UseAdhesives and/or sealantsUses advised againstNo information available

Details of the supplier of the safety data sheet Manufacturer Address HENRY COMPANY 999 N. Sepulveda Blvd., Suite 800 El Segundo, CA 90245-2716 Web Site: www.henry.com www.ca.henry.com

#### Emergency telephone number Company Phone Number Emergency Telephone

800-486-1278 CHEMTREC: 800-424-9300 CHEMTREC: 703-527-3887 CANUTEC: 613-966-6666

#### 2. HAZARDS IDENTIFICATION

#### **Classification**

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 2

#### Label elements

**Emergency Overview** 

#### -

Danger

Hazard statements Causes skin irritation Causes serious eye irritation May cause drowsiness or dizziness Highly flammable liquid and vapor



Appearance viscous cream

Physical state liquid

Odor Strong Solvent

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ ventilating/ lighting/ equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool

#### Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention If skin irritation occurs: Get medical advice/attention IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell In case of fire: Use CO2, dry chemical, or foam for extinction

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

Toxic to aquatic life with long lasting effects.

#### Unknown acute toxicity

34.5336% of the mixture consists of ingredient(s) of unknown toxicity

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Not applicable

#### <u>Mixture</u>

Chemical Name	CAS No	Weight-%
Limestone *	1317-65-3	30 - 60
Naphtha, petroleum, hydrotreated light *	64742-49-0	10 - 30

Synthetic Polymer Blend *	Proprietary	10 - 30
Distillates, petroleum, solvent-dewaxed heavy paraffinic *	64742-65-0	1 - 5
Bentonite *	1302-78-9	1 - 5

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

#### **4. FIRST AID MEASURES**

#### Description of first aid measures

Note to physicians	Keep victim warm and quiet. Treat symptomatically.
Indication of any immediate medica	Il attention and special treatment needed
Symptoms	May cause redness and tearing of the eyes. Coughing and/ or wheezing. May cause skin irritation. Drowsiness. Dizziness.
Most important symptoms and effe	cts, both acute and delayed
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Ingestion	Call a physician or poison control center immediately. Do not induce vomiting without medical advice. Rinse mouth. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If symptoms persist, call a physician.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician. Wash contaminated clothing before reuse.
Eye contact	Keep eye wide open while rinsing. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If symptoms persist, call a physician.
General advice	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). If symptoms persist, call a physician.

#### **5. FIRE-FIGHTING MEASURES**

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical, CO2, sand, earth, water spray or regular foam.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

#### Specific hazards arising from the chemical

Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

**Protective equipment and precautions for firefighters** Move containers from fire area if you can do it without risk.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required. Keep people away from and upwind of spill/leak.	
Other Information	Water spray may reduce vapor; but may not prevent ignition in closed spaces.	
Environmental precautions		
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas.	
Methods and material for containment and cleaning up		
Methods for containment	A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.	
Methods for cleaning up	Use clean non-sparking tools to collect absorbed material. Dike far ahead of liquid spill for later disposal.	
	7. HANDLING AND STORAGE	
Precautions for safe handling		
Advice on safe handling	Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded. Use with local exhaust ventilation. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).	
Incompatible materials	Strong acids. Strong oxidizing agents. Strong bases.	

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Limestone 1317-65-3	-	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Bentonite 1302-78-9	TWA: 1 mg/m <sup>3</sup> respirable fraction	-	-

NIOSH IDLH Immediately Dangerous to Life or Health

#### Appropriate engineering controls

Engineering Controls	Showers	
	Eyewash stations	
	Ventilation systems.	

#### Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Appearance Color	liquid viscous cream white beige	Odor Odor threshold	Strong Solvent No information available
<u>Property</u> pH Melting point / freezing point	<u>Values</u> No information available No information available	Remarks • Method	
Boiling point / boiling range Flash point Evaporation rate	> 64 °C / 147 °F -18 °C / 0 °F > 1 No information available	Tag Closed Cup	
Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit:	11.6 1.8		
Vapor pressure Vapor density Relative density	20 kPa 3 1.25	@ 25 °C	
Water solubility Solubility in other solvents Partition coefficient	Insoluble in water No information available No information available		
Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties	257 °C / 495 °F No information available > 100 mm2/s No information available Not an explosive	@ 40 °C	
Oxidizing properties	Not applicable		
Softening point Molecular weight VOC Content (%) Density Bulk density	No information available No information available No information available No information available No information available		

#### **10. STABILITY AND REACTIVITY**

<u>Reactivity</u> No data available

Chemical stability Stable under recommended storage conditions. Possibility of Hazardous Reactions None under normal processing. Conditions to avoid Heat, flames and sparks. Incompatible materials. Incompatible materials

#### Strong acids. Strong oxidizing agents. Strong bases.

#### Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

#### **Product Information**

Inhalation	May cause drowsiness or dizziness.
Eye contact	Irritating to eyes.
Skin contact	Irritating to skin.
Ingestion	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Naphtha, petroleum, hydrotreated light	> 5000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	= 73680 ppm (Rat) 4 h
64742-49-0			
Bentonite	> 5000 mg/kg (Rat)	-	-
1302-78-9			

#### Information on toxicological effects

Symptoms

May cause redness and tearing of the eyes. Vapors may cause drowsiness and dizziness. Coughing and/ or wheezing. May cause skin irritation.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346. This note applies only to
	certain complex oil derived substances in Annex I. The table below indicates whether each
	agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Distillates, petroleum, solvent-dewaxed heavy paraffinic 64742-65-0	A2	Group 1	-	Х

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Reproductive toxicity** No information available.

- **STOT single exposure** Target Organs. Respiratory system. Central nervous system.
- STOT repeated exposure No information available.
  - Chronic toxicity Avoid repeated exposure.
  - Target Organ Effects Central nervous system, Eyes, Peripheral Nervous System (PNS), Respiratory system,
  - Skin.
  - **Neurological effects** Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.

Aspiration hazard No information available.

#### Numerical measures of toxicity - Product Information

#### The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 67,273.00 mg/kg ATEmix (inhalation-dust/mist) 1,271.20 mg/l

Group 1 - Carcinogenic to Humans

#### **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

Toxic to aquatic life with long lasting effects

#### 34.56195 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Naphtha, petroleum, hydrotreated light 64742-49-0	-	-	2.6: 96 h Chaetogammarus marinus mg/L LC50
Bentonite 1302-78-9	-	19000: 96 h Oncorhynchus mykiss mg/L LC50 static 8.0 - 19.0: 96 h Salmo gairdneri g/L LC50	-
Distillates, petroleum, solvent-dewaxed heavy paraffinic 64742-65-0	-	5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### Other adverse effects

No information available

## 13. DISPOSAL CONSIDERATIONS Waste treatment methods Disposal of wastes This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261). Contaminated packaging Do not reuse container. US EPA Waste Number D001

This product contains one or more substances that are listed with the State of California as a hazardous waste.

#### **14. TRANSPORT INFORMATION**

DOT UN/ID no Proper shipping name Hazard Class Packing Group Special Provisions Description Emergency Response Guide Number	UN1133 Adhesives 3 II 149, B52, IB2, T4, TP1, TP8 UN1133, Adhesives, 3, II 128
TDG UN/ID no Proper shipping name Hazard Class Packing Group Description	UN1133 Adhesives 3 II UN1133, Adhesives, 3, II
<u>IATA</u> UN/ID no	UN1133

Proper shipping name Hazard Class Packing Group ERG Code	Adhesives 3 II 3L
Special Provisions	A3 UN1133. Adhesives. 3. II
Description	UNTT55, Adhesives, 5, II
IMDG	
UN/ID no	UN1133
Proper shipping name	Adhesives
Hazard Class	3
Packing Group	
EmS-No	F-E, S-D
Marine pollutant	This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO
Description	UN1133, Adhesives, 3, II, (-18°C c.c.)

#### **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Limestone	Х	Х	Х
1317-65-3			

U.S. EPA Label Information

**EPA Pesticide Registration Number** Not applicable

#### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards 2	Flammability 3	Instability 0	Physical and Chemical Properties -
HMIS	Health hazards 2	Flammability 3	Physical hazards 0	Personal protection X
Issue Date Revision Date Revision Note No information available Disclaimer	20-Dec-20 11-Mar-20			
The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief				

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet