

SAFETY DATA SHEET

Issue Date 21-Dec-2015 Revision Date 21-Dec-2015 Version 1

1. IDENTIFICATION

Product identifier

Product Name HENRY BLUESKIN LVC SPRAY PRIMER

Other means of identification

Product Code HE573737 UN/ID no UN3161 Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Adhesives and/or sealants
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address HENRY COMPANY

999 N. Sepulveda Blvd., Suite 800 El Segundo, CA 90245-2716

Web Site: www.henry.com www.ca.henry.com

Emergency telephone number

Company Phone Number 800-486-1278

Emergency Telephone CHEMTREC: 800-424-9300

CHEMTREC: 703-527-3887 CANUTEC: 613-966-6666

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Skin corrosion/irritation | Category 2 |
|--|------------|
| Serious eye damage/eye irritation | Category 2 |
| Reproductive toxicity | Category 2 |
| Specific target organ toxicity (single exposure) | Category 3 |
| Specific target organ toxicity (repeated exposure) | Category 2 |
| Flammable aerosols | Category 1 |

Label elements

Emergency Overview

Danger

Hazard statements

Causes skin irritation
Causes serious eye irritation
Suspected of damaging fertility or the unborn child
May cause drowsiness or dizziness
May cause damage to organs through prolonged or repeated exposure
Extremely flammable aerosol



Appearance Liquefied gas

Physical state Aerosol

Odor Petroleum distillates Ester

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Pressurized container: Do not pierce or burn, even after use

Do not spray on an open flame or other ignition source

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Harmful to aquatic life with long lasting effects.

Unknown acute toxicity

36% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

| Chemical Name | CAS No | Weight-% |
|--|-------------|----------|
| Methyl acetate * | 79-20-9 | 30 - 60 |
| Synthetic Polymer Blend * | Proprietary | 15 - 40 |
| Benzene, 1-chloro-4-(trifluoromethyl)- * | 98-56-6 | 5 - 10 |
| Propane * | 74-98-6 | 5 - 10 |
| Isobutane * | 75-28-5 | 5 - 10 |

| Hexane * | 110-54-3 | 1 - 5 |
|----------|----------|-------|

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice In case of accident or unwellness, seek medical advice immediately (show directions for

use or safety data sheet if possible). If symptoms persist, call a physician.

Eye contact Keep eye wide open while rinsing. Immediately flush with plenty of water. After initial

flushing, remove any contact lenses and continue flushing for at least 15 minutes. If

symptoms persist, call a physician.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If symptoms persist, call a physician. Wash contaminated clothing

before reuse.

Inhalation Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration.

Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If

symptoms persist, call a physician.

Ingestion Call a physician or poison control center immediately. Do not induce vomiting without

medical advice. Rinse mouth. Never give anything by mouth to an unconscious person.

Self-protection of the first aider Remove all sources of ignition. Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Coughing and/ or wheezing. May cause skin

irritation. Drowsiness. Dizziness.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical, CO2, sand, earth, water spray or regular foam.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Flash back possible over considerable distance. Containers may explode when heated. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge May be ignited by heat, sparks or flames.

Protective equipment and precautions for firefighters

Cool containers with flooding quantities of water until well after fire is out. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate

ventilation, especially in confined areas. Use personal protective equipment as required.

Keep people away from and upwind of spill/leak.

For emergency responders

Be aware that gases can spread at ground level (heavier than air) and pay attention to the

wind direction. Pay attention to flashback. Remove all sources of ignition. Use personal

protective equipment as required.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not flush into surface water or sanitary sewer system.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or

tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust). Pick up and transfer to properly labeled containers. Use only

non-sparking tools.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks,

flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Contents under pressure. Do not puncture or incinerate

cans.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep

containers tightly closed in a cool, well-ventilated place.

Incompatible materials Strong oxidizing agents. Strong acids. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--|---|---|--|
| Methyl acetate 79-20-9 | STEL: 250 ppm TWA: 200 ppm | TWA: 200 ppm TWA: 610 mg/m³ | IDLH: 3100 ppm TWA: 200 ppm TWA: 610 mg/m³ STEL: 250 ppm STEL: 760 mg/m³ |
| Benzene, 1-chloro-4-(trifluoromethyl)- 98-56-6 | TWA: 2.5 mg/m ³ F | TWA: 2.5 mg/m³ F TWA: 2.5 mg/m³ dust | - |
| Propane 74-98-6 | : See Appendix F: Minimal Oxygen Content | TWA: 1000 ppm TWA: 1800 mg/m³ | IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m³ |
| Isobutane 75-28-5 | STEL: 1000 ppm | - | TWA: 800 ppm TWA: 1900 mg/m ³ |
| Hexane 110-54-3 | TWA: 50 ppm S* | TWA: 500 ppm TWA: 1800 mg/m³ | IDLH: 1100 ppm TWA: 50 ppm TWA: 180 mg/m³ |

NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

@ 40 °C

provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Regular cleaning of equipment, work area and

clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Aerosol

AppearanceLiquefied gasOdorPetroleum distillates EsterColorDeigeOdor thresholdNo information available

Property Values Remarks • Method

PH No information available

Melting point / freezing point

No information available

No information available

Boiling point / boiling range < 0 °C / 32 °F

Flash point -104 °C / -155 °F (based on components)

Evaporation rate > 1

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: 16
Lower flammability limit: 1.2

Vapor pressure>180 mmHg@ 25 °CVapor density2.8- (Air = 1)

Relative density 0.86

Water solubility slightly soluble

Solubility in other solvents
Partition coefficient
Autoignition temperature

No information available
No information available
223 °C / 433 °F

Decomposition temperature No information available

Kinematic viscosity > 100 mm2/s

Dynamic viscosity

Explosive properties

Oxidizing properties

No information available

Not an explosive

Not applicable

Other Information

Softening point
Molecular weight
VOC Content (%)
Density
No information available

10. STABILITY AND REACTIVITY

Reactivity

HE573737 - HENRY BLUESKIN LVC SPRAY PRIMER

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks. Elevated Temperature.

Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Carbon dioxide (CO2). Carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation May cause irritation of respiratory tract. May cause drowsiness or dizziness.

Eye contact Irritating to eyes.

Skin contact Irritating to skin.

Ingestion No data available.

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|-----------------|-------------------------|-----------------------|
| Methyl acetate 79-20-9 | > 5 g/kg (Rat) | > 5 g/kg (Rabbit) | = 16000 ppm (Rat) 4 h |
| Benzene, 1-chloro-4-(trifluoromethyl)- 98-56-6 | = 13 g/kg(Rat) | > 2 mL/kg(Rabbit) | = 33 mg/L (Rat) 4 h |
| Propane 74-98-6 | - | - | = 658 mg/L (Rat) 4 h |
| sobutane 75-28-5 | - | - | = 658 mg/L (Rat) 4 h |
| Hexane 110-54-3 | = 25 g/kg (Rat) | = 3000 mg/kg (Rabbit) | = 48000 ppm (Rat) 4 h |

Information on toxicological effects

Symptoms Vapors may cause drowsiness and dizziness. Coughing and/ or wheezing. May cause

redness and tearing of the eyes. May cause skin irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.

Reproductive toxicityContains a known or suspected reproductive toxin.

STOT - single exposureSTOT - repeated exposure
Target Organs. Respiratory system. Central nervous system.
May cause disorder and damage to the. Central nervous system.

Chronic toxicity Avoid repeated exposure.

Target Organ Effects Respiratory system, Eyes, Skin, Central nervous system, Peripheral Nervous System

(PNS).

Neurological effects Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document.

 ATEmix (oral)
 7,367.00 mg/kg

 ATEmix (dermal)
 5,053.00 mg/kg

 ATEmix (inhalation-gas)
 1,439,107.72

 ATEmix (inhalation-vapor)
 25,180.00 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects

50 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|--|--|--|---|
| Methyl acetate 79-20-9 | 120: 72 h Desmodesmus subspicatus mg/L EC50 | 295 - 348: 96 h Pimephales promelas mg/L LC50 flow-through 250 - 350: 96 h Brachydanio rerio mg/L LC50 static | 1026.7: 48 h Daphnia magna mg/L EC50 |
| Benzene, 1-chloro-4-(trifluoromethyl)- 98-56-6 | - | 11.5 - 15.8: 48 h Lepomis macrochirus mg/L LC50 static | 3.68: 48 h Daphnia magna mg/L EC50 |
| Hexane 110-54-3 | - | 2.1 - 2.98: 96 h Pimephales promelas mg/L LC50 flow-through | 1000: 24 h Daphnia magna mg/L EC50 |

Persistence and degradability

Not readily biodegradable.

Bioaccumulation

Bioaccumulative potential.

| Chemical Name | Partition coefficient |
|---|-----------------------|
| Methyl acetate 79-20-9 | 0.18 |
| Benzene, 1-chloro-4-(trifluoromethyl)- 98-56-6 | 3.7 |
| Propane 74-98-6 | 2.3 |
| Isobutane 75-28-5 | 2.88 |

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261). Dispose of in accordance with federal, state and local regulations.

Contaminated packaging Pressurized container: Do not pierce or burn, even after use. Do not reuse container.

US EPA Waste Number D001

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status |
|----------------|-----------------------------------|
| Methyl acetate | Toxic |
| 79-20-9 | Ignitable |
| Hexane | Toxic |
| 110-54-3 | Ignitable |

| 14. TRANSPORT INFORMATION | 14. TRANSPORT INFORMATION |
|---------------------------|---------------------------|

HE573737 - HENRY BLUESKIN LVC SPRAY PRIMER

DOT

UN/ID no UN3161

Proper shipping name Liquefied gas, flammable, n.o.s.

Hazard Class 2.1 Special Provisions T50

Description UN3161, Liquefied gas, flammable, n.o.s. (Propane, Isobutane), 2.1

Emergency Response Guide 11

Number

TDG

UN/ID no UN3161

Proper shipping name Liquefied gas, flammable, n.o.s.

Hazard Class 2.1

Description UN3161, Liquefied gas, flammable, n.o.s. (Propane, Isobutane), 2.1

IATA Forbidden BY PASSENGER AIR

UN/ID no UN3161

Proper shipping name Liquefied gas, flammable, n.o.s.

Hazard Class 2.1 ERG Code 10L Special Provisions A1

Description UN3161, Liquefied gas, flammable, n.o.s. (Propane, Isobutane), 2.1

IMDG

UN/ID no UN3161

Proper shipping name Liquefied gas, flammable, n.o.s.

Hazard Class 2.1 EmS-No F-D, S-U Special Provisions 274

Description UN3161, Liquefied gas, flammable, n.o.s. (Propane, Isobutane), 2.1

15. REGULATORY INFORMATION

All components used in this product are on the TSCA Inventory and the Canadian DSL.

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies
IECSC Complies
KECL Complies
PICCS Complies
AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % |
|-------------------|-------------------------------|
| Hexane - 110-54-3 | 1.0 |

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard Yes
Sudden release of pressure hazard Yes
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---------------|--------------------------|----------------|--------------------------|
| Hexane | 5000 lb | - | RQ 5000 lb final RQ |
| 110-54-3 | | | RQ 2270 kg final RQ |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|--|------------|---------------|--------------|
| Methyl acetate 79-20-9 | Χ | X | Х |
| Benzene, 1-chloro-4-(trifluoromethyl)- 98-56-6 | X | - | Х |
| Propane 74-98-6 | Х | X | Х |
| Isobutane 75-28-5 | Х | X | Х |
| Hexane 110-54-3 | Х | X | Х |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 4 Instability 0 Physical and Chemical

Properties *

HMIS Health hazards 2* Flammability 4 Physical hazards 1 Personal protection X

Chronic Hazard Star Legend *= Chronic Health Hazard

Issue Date 21-Dec-2015 Revision Date 21-Dec-2015

Revision Note

No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet