

# SAFETY DATA SHEET

Issue Date 20-Nov-2015 Revision Date 20-Nov-2015 Version 1

## 1. IDENTIFICATION

**Product identifier** 

**Product Name** VINYL CEMENT PATCH

Other means of identification

SN221 **Product Code Synonyms** None

Recommended use of the chemical and restrictions on use

**Recommended Use** Cement

No information available Uses advised against

Details of the supplier of the safety data sheet

**Manufacturer Address** HENRY COMPANY

999 N. Sepulveda Blvd., Suite 800 El Segundo, CA 90245-2716

Web Site: www.henry.com www.ca.henry.com

Emergency telephone number

**Company Phone Number** 800-486-1278

**Emergency Telephone** CHEMTREC: 800-424-9300 CHEMTREC: 703-527-3887

CANUTEC: 613-966-6666

# 2. HAZARDS IDENTIFICATION

#### Classification

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2

#### Label elements

# **Emergency Overview**

#### **Danger**

#### **Hazard statements**

Causes skin irritation Causes serious eye irritation May cause cancer

May cause respiratory irritation

May cause damage to organs through prolonged or repeated exposure



Appearance powder Physical state Solid Odor Slight

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Not applicable

## Other Information

May be harmful if swallowed.

## **Unknown acute toxicity**

26.9986971% of the mixture consists of ingredient(s) of unknown toxicity

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

## Substance

Not applicable

#### <u>Mixture</u>

Chemical Name	CAS No	Weight-%
Quartz *	14808-60-7	60 - 100
Cement, portland, chemicals *	65997-15-1	10 - 30
Limestone *	1317-65-3	1 - 5
Gypsum (Ca(SO4).2H2O) *	13397-24-5	1 - 5

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### **Description of first aid measures**

Revision Date 20-Nov-2015

General advice If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do

not get in eyes, on skin, or on clothing.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

Skin contact Consult a physician if necessary. Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

**Inhalation** Remove to fresh air. Call a physician. If breathing is irregular or stopped, administer

artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth

resuscitation.

Ingestion Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Do NOT induce

vomitina.

**Self-protection of the first aider** Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

**Symptoms** May cause redness and tearing of the eyes. Coughing and/ or wheezing. May cause skin

irritation.

Indication of any immediate medical attention and special treatment needed

## 5. FIRE-FIGHTING MEASURES

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

## Specific hazards arising from the chemical

No information available.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Personal precautions**Use personal protective equipment as required. Avoid contact with eyes and skin.

Environmental precautions

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Revision Date 20-Nov-2015

Methods for cleaning up

Use personal protective equipment as required. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly.

## 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray.

Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children.

**Incompatible materials** Strong oxidizing agents. Strong acids. Strong bases.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Quartz	TWA: 0.025 mg/m³ respirable	: (30)/(%SiO2 + 2) mg/m <sup>3</sup> TWA	IDLH: 50 mg/m3 respirable dust
14808-60-7	fraction	total dust	TWA: 0.05 mg/m³ respirable dust
		: (250)/(%SiO2 + 5) mppcf TWA	
		respirable fraction	
		: (10)/(%SiO2 + 2) mg/m³ TWA	
		respirable fraction	
Cement, portland, chemicals	TWA: 1 mg/m³ particulate matter	TWA: 15 mg/m³ total dust	IDLH: 5000 mg/m <sup>3</sup>
65997-15-1	containing no asbestos and <1%	TWA: 5 mg/m³ respirable fraction	TWA: 10 mg/m <sup>3</sup> total dust
	crystalline silica, respirable fraction	TWA: 50 mppcf <1% Crystalline	TWA: 5 mg/m³ respirable dust
		silica	
Limestone	-	TWA: 15 mg/m³ total dust	TWA: 10 mg/m <sup>3</sup> total dust
1317-65-3		TWA: 5 mg/m³ respirable fraction	TWA: 5 mg/m³ respirable dust
Gypsum (Ca(SO4).2H2O)	TWA: 10 mg/m³ inhalable fraction	TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ total dust
13397-24-5		TWA: 5 mg/m³ respirable fraction	TWA: 5 mg/m <sup>3</sup> respirable dust

NIOSH IDLH Immediately Dangerous to Life or Health

## **Appropriate engineering controls**

Engineering Controls Showers

Eyewash stations Ventilation systems.

# Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Slight

Physical state Solid
Appearance powder

Color Light gray Odor threshold No information available

Odor

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

<del>pH</del> >7

Melting point / freezing pointNo information availableBoiling point / boiling rangeNo information availableFlash pointNo information availableEvaporation rateNo information availableFlammability (solid, gas)No information available

Flammability Limit in Air

Upper flammability limit:No information availableLower flammability limit:No information available

Vapor pressure 0

Vapor density No information available

Relative density 2 - 2.5

Water solubility Insoluble in water Solubility in other solvents No information available **Partition coefficient** No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available **Dvnamic viscosity** No information available **Explosive properties** Not an explosive **Oxidizing properties** Not applicable

**Other Information** 

Softening point
Molecular weight
VOC Content (%)
Density
No information available

## 10. STABILITY AND REACTIVITY

Reactivity

No data available

**Chemical stability** 

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions** 

None under normal processing.

**Conditions to avoid** 

Extremes of temperature and direct sunlight.

**Incompatible materials** 

Strong oxidizing agents. Strong acids. Strong bases.

**Hazardous Decomposition Products** 

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** 

**Inhalation** May cause irritation of respiratory tract.

**Eye contact** Severely irritating to eyes.

**Skin contact** Irritating to skin.

**Ingestion** No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz	= 500 mg/kg (Rat)	-	-
14808-60-7			

#### Information on toxicological effects

Symptoms May cause redness and tearing of the eyes. Coughing and/ or wheezing. May cause skin

irritation.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	X
14808-60-7		•		

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Reproductive toxicity**No information available.

**STOT - single exposure** Target Organs. Respiratory system. Eyes. Skin.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure if inhaled.

**Target Organ Effects** Eyes, lungs, Respiratory system, Skin.

Aspiration hazard No information available.

#### Numerical measures of toxicity - Product Information

#### The following values are calculated based on chapter 3.1 of the GHS document .

**ATEmix (oral)** 2,075.00 mg/kg

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

98.32627 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### Other adverse effects

No information available

## 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

**Disposal of wastes**Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

## 14. TRANSPORT INFORMATION

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDGNot regulated

## 15. REGULATORY INFORMATION

#### **International Inventories**

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies
IECSC Complies
KECL Complies
PICCS Complies
AICS Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

## **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Quartz - 14808-60-7	Carcinogen
Lithium carbonate - 554-13-2	Developmental

#### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Quartz 14808-60-7	X	X	X
Cement, portland, chemicals 65997-15-1	X	X	X
Limestone 1317-65-3	X	X	X
Gypsum (Ca(SO4).2H2O) 13397-24-5	X	-	X
Calcium hydroxide 1305-62-0	X	Х	X
Calcium oxide 1305-78-8	X	X	X
Magnesium oxide (MgO) 1309-48-4	Х	Х	Х
Kaolin 1332-58-7	Х	Х	X
Lithium carbonate 554-13-2	Х	Х	-

**U.S. EPA Label Information** 

EPA Pesticide Registration Number Not applicable

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 0 Instability 0 Physical and Chemical

Properties HMIS Health hazards 2\* Flammability 0 Physical hazards 0 Personal protection X

Issue Date20-Nov-2015Revision Date20-Nov-2015

**Revision Note** 

No information available

**Disclaimer** 

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**