

CLASSIFICATION: 07 26 16.00

created via: HPDC Online Builder

PRODUCT DESCRIPTION: AQUA-BLOC 770-06 IS A ONE COMPONENT ELASTOMERIC WATERPROOFING COMPOUND DESIGNED TO REPLACE CONVENTIONAL HOT MOP FELT PLY AND/OR PRE-FORMED SHEETING SYSTEMS. IT IS APPLIED IN A SINGLE APPLICATION, WHICH CURES THROUGH SOLVENT EVAPORATION TO PROVIDE A HEAVY-DUTY "SEAMLESS" RUBBER-LIKE, IMPERVIOUS MEMBRANE.

Section 1: Summary

CONTENT INVENTORY

- | | |
|--|---|
| Threshold per material | Residuals and impurities considered in 1 of 1 materials |
| <input checked="" type="radio"/> 100 ppm | <input checked="" type="radio"/> see Section 2: |
| <input type="radio"/> 1,000 ppm | Material Notes |
| <input type="radio"/> Per GHS SDS | <input checked="" type="radio"/> see Section 5: |
| <input type="radio"/> Per OSHA MSDS | General Notes |
| <input type="radio"/> Other | |

Based on the selected Content Inventory Threshold:

- | | | |
|---|----------------------------------|-----------------------|
| Characterized..... | <input checked="" type="radio"/> | <input type="radio"/> |
| Are the Percent Weight and Role provided for all substances? | Yes | No |
| Screened..... | <input checked="" type="radio"/> | <input type="radio"/> |
| Are all substances screened using Priority Hazard Lists with results disclosed? | Yes | No |
| Identified..... | <input checked="" type="radio"/> | <input type="radio"/> |
| Are all substances disclosed by Name (Specific or Generic) and Identifier? | Yes | No |

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

AQUABLOC 77006 [ASPHALT **LT-1** | CAN STODDARD SOLVENT **LT-1** | CAN | GEN | MAM | MUL SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM., SHOWN TO CONTAIN LESS THAN 0,1 % W/W BENZENE **LT-P1** | MAM | MUL STYRENE BUTADIENE RUBBER (SBR) **LT-UNK** LIMESTONE; CALCIUM CARBONATE **LT-UNK** WHITE MINERAL OIL **LT-UNK** FUMED SILICA, CRYSTALLINE-FREE **LT-UNK** PHENOL, 2-(5-CHLORO-2H-BENZOTRIAZOL-2-YL)-4,6-BIS(1,1-DIMETHYLETHYL)- **LT-P1** | PBT | MUL 1,2,4-TRIMETHYLBENZENE **BM-2** | MAM | EYE | SKI | AQU | MUL MESITYLENE **BM-2** | AQU XYLENES **BM-1** | MAM | SKI | END | MUL QUARTZ **LT-1** | CAN CUMENE **LT-1** | AQU | CAN | MAM | END CUMENE **LT-1** | AQU | CAN | MAM | END]

Number of Greenscreen BM-4/BM3 contents..... 0
Contents highest concern GreenScreen Benchmark or List translator Score..... BM-1
Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 356 Regulatory (g/l):
Does the product contain exempt VOCs:
No
Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

<input checked="" type="radio"/> Self-Published*	VERIFIER:	SCREENING DATE: January 23, 2017	EXPIRY DATE*: January 23, 2020
<input type="radio"/> Third Party Verified	VERIFICATION #:	RELEASE DATE: January 23, 2017	* or within 3 months of significant change in product contents

*See HPDC website for details



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

AQUABLOC 77006 %: 100.0000 - 100.0000 HPD URL:

Inventory Threshold: 100 ppm Residuals Considered: Yes

Material Notes:

ASPHALT

ID: 8052-42-4

%: 35.0000 - 45.0000 GS: LT-1 RC: None NANO: NO ROLE: Waterproofing/flexibility

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER IARC Group 2b - Possibly carcinogenic to humans

CANCER US CDC - Occupational Carcinogens Occupational Carcinogen

CANCER MAK Carcinogen Group 2 - Considered to be carcinogenic for man

SUBSTANCE NOTES: IARC classifies asphalt as a carcinogen in road paving applications. This product is not used in that application.

STODDARD SOLVENT

ID: 8052-41-3

%: 10.0000 - 20.0000 GS: LT-1 RC: None NANO: NO ROLE: Solvent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER EU - R-phrases R45 - May cause cancer

GENE MUTATION EU - R-phrases R46 - May cause heritable genetic damage

MAMMALIAN EU - GHS (H-Statements) H304 - May be fatal if swallowed and enters airways

GENE MUTATION EU - GHS (H-Statements) H340 - May cause genetic defects

CANCER EU - GHS (H-Statements) H350 - May cause cancer

ORGAN TOXICANT EU - GHS (H-Statements) H372 - Causes damage to organs through prolonged or repeated exposure

CANCER EU - REACH Annex XVII CMRs Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man

GENE MUTATION EU - REACH Annex XVII CMRs Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man

MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B

SUBSTANCE NOTES: This solvent contains no detectable amount of benzene. Therefore, it is not considered carcinogenic or mutagenic.

SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM., SHOWN TO CONTAIN LESS THAN 0,1 % W/W BENZENE ID: 64742-95-6

%: 5.0000 - 10.0000 GS: LT-P1 RC: None NANO: NO ROLE: Solvent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

STYRENE BUTADIENE RUBBER (SBR) ID: 9003-55-8

%: 5.0000 - 10.0000 GS: LT-UNK RC: None NANO: NO ROLE: Flexibility

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found	No warnings found on HPD Priority lists	
------------	---	--

SUBSTANCE NOTES:

LIMESTONE; CALCIUM CARBONATE ID: 1317-65-3

%: 5.0000 - 10.0000 GS: LT-UNK RC: None NANO: NO ROLE: Filler/film strengthener

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found	No warnings found on HPD Priority lists	
------------	---	--

SUBSTANCE NOTES:

WHITE MINERAL OIL ID: 8042-47-5

%: 1.0000 - 5.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Plasticizer

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

FUMED SILICA, CRYSTALLINE-FREE

ID: 112945-52-5

%: 1.0000 - 5.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Thixotrope

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

PHENOL, 2-(5-CHLORO-2H-BENZOTRIAZOL-2-YL)-4,6-BIS(1,1-DIMETHYLETHYL)-

ID: 3864-99-1

%: 0.1000 - 0.5000

GS: LT-P1

RC: None

NANO: NO

ROLE: Preservative

HAZARDS:

AGENCY(IES) WITH WARNINGS:

PBT

EU - SVHC Authorisation List

vPvB - Candidate list

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES:

1,2,4-TRIMETHYLBENZENE

ID: 95-63-6

%: Impurity/Residual

GS: BM-2

RC: None

NANO: NO

ROLE: Impurity/Residual

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MAMMALIAN

EU - R-phrases

R20 - Harmful by Inhalation (gas or vapor or dust/mist)

EYE IRRITATION

EU - R-phrases

R36 - Irritating to eyes

SKIN IRRITATION

EU - R-phrases

R38 - Irritating to skin

ACUTE AQUATIC

EU - R-phrases

R51 - Toxic to Aquatic Organisms

CHRON AQUATIC

EU - GHS (H-Statements)

H411 - Toxic to aquatic life with long lasting effects

SKIN IRRITATION

EU - GHS (H-Statements)

H315 - Causes skin irritation

EYE IRRITATION

EU - GHS (H-Statements)

H319 - Causes serious eye irritation

SUBSTANCE NOTES:

MESITYLENE

ID: 108-67-8

%: Impurity/Residual	GS: BM-2	RC: None	NANO: NO	ROLE: Impurity/Residual
----------------------	----------	----------	----------	-------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ACUTE AQUATIC	EU - R-phrases	R51 - Toxic to Aquatic Organisms
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects

SUBSTANCE NOTES:

XYLENES

ID: 1330-20-7

%: Impurity/Residual	GS: BM-1	RC: None	NANO: NO	ROLE: Impurity/Residual
----------------------	----------	----------	----------	-------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MAMMALIAN	EU - R-phrases	R20 - Harmful by Inhalation (gas or vapor or dust/mist)
MAMMALIAN	EU - R-phrases	R21 - Harmful in Contact with Skin
SKIN IRRITATION	EU - R-phrases	R38 - Irritating to skin
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

QUARTZ

ID: 14808-60-7

%: Impurity/Residual	GS: LT-1	RC: None	NANO: NO	ROLE: Impurity/Residual
----------------------	----------	----------	----------	-------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1: Agent is carcinogenic to humans - inhaled from occupational sources

CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
SUBSTANCE NOTES: Not present in a respirable form.		

CUMENE		ID: 98-82-8
%: Impurity/Residual	GS: LT-1	RC: None
		NANO: NO
		ROLE: Impurity/Residual
HAZARDS:	AGENCY(IES) WITH WARNINGS:	
ACUTE AQUATIC	EU - R-phrases	R51 - Toxic to Aquatic Organisms
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

CUMENE		ID: 98-82-8
%: Impurity/Residual	GS: LT-1	RC: None
		NANO: NO
		ROLE: Impurity/Residual
HAZARDS:	AGENCY(IES) WITH WARNINGS:	
ACUTE AQUATIC	EU - R-phrases	R51 - Toxic to Aquatic Organisms
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

CANCER

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES:



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.



Section 5: General Notes



MANUFACTURER INFORMATION

MANUFACTURER: Henry Company
 ADDRESS: 999 N. Sepulveda Blvd.
 Suite 800
 El Segundo, CA 90245
 USA
 WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall
 TITLE: Director, Regulatory Compliance Systems
 PHONE: 484-557-1247
 EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	UNK Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)
Independent Lab Manufacturer's self-declaration using results from an independent lab
Second Party Verification by trade association or other interested party
Third Party Verification by independent certifier
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.