

CLASSIFICATION: 07 52 16. 11

created via: HPDC Online Builder

PRODUCT DESCRIPTION: HE574 - BLUESKIN LVC ADHESIVE IS A QUICK DRYING, LOWER VOLATILE ORGANIC COMPOUND (VOC) FORMULATION, RUBBER BASED ADHESIVE DESIGNED TO ENHANCE THE ADHESION OF SELF-ADHESIVE MEMBRANES SUCH AS BLUESKIN®

Section 1: Summary

CONTENT INVENTORY

- Threshold per material
- 100 ppm
 - 1,000 ppm
 - Per GHS SDS
 - Per OSHA MSDS
 - Other

- Residuals and impurities considered in 0 of 1 materials
- see Section 2: Material Notes
 - see Section 5: General Notes

Based on the selected Content Inventory Threshold:

Characterized.....	<input checked="" type="radio"/>	<input type="radio"/>
Are the Percent Weight and Role provided for all substances?	Yes	No
Screened.....	<input checked="" type="radio"/>	<input type="radio"/>
Are all substances screened using Priority Hazard Lists with results disclosed?	Yes	No
Identified.....	<input checked="" type="radio"/>	<input type="radio"/>
Are all substances disclosed by Name (Specific or Generic) and Identifier?	Yes	No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

HE574 - BLUESKIN LVC ADHESIVE [METHYL ACETATE **LT-UNK** | EYE | PHY NAPHTHA (PETROLEUM), LIGHT STEAM-CRACKED, DEBENZENIZED, POLYMERS, HYDROGENATED **LT-UNK** STYRENE BUTADIENE RUBBER (SBR) **LT-UNK** DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI); **LT-1** | CAN | PBT | MUL N-HEXANE **LT-P1** | MAM | SKI | AQU | REP | MUL | END | PHY PARACHLORO BENZOTRIFLUORIDE (PCBTF) **LT-P1** | MUL SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPHATIC **LT-1** | CAN | GEN | MAM | MUL CYCLOHEXANE **LT-P1** | SKI | AQU | PHY | MAM | MUL]

Number of Greenscreen BM-4/BM3 contents..... 0
Contents highest concern GreenScreen Benchmark or List translator Score..... LT-1
Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): Regulatory (g/l): 240
Does the product contain exempt VOCs: Yes
Are ultra-low VOC tints available: No

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

<input checked="" type="radio"/> Self-Published*	VERIFIER:	SCREENING DATE: December 5, 2016	EXPIRY DATE*: December 5, 2019
<input type="radio"/> Third Party Verified	VERIFICATION #:	RELEASE DATE: December 5, 2016	* or within 3 months of significant change in product contents

*See HPDC website for details



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

HE574 - BLUESKIN LVC ADHESIVE %: 100.0000 - 100.0000 HPD URL:

Inventory Threshold: 100 ppm

Residuals Considered: No

Material Notes:

METHYL ACETATE

ID: 79-20-9

%: 35.0000 - 55.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Solvent/Carrier

HAZARDS:

AGENCY(IES) WITH WARNINGS:

EYE IRRITATION

EU - R-phrases

R36 - Irritating to eyes

EYE IRRITATION

EU - GHS (H-Statements)

H319 - Causes serious eye irritation

PHYSICAL HAZARD
(REACTIVE)

EU - GHS (H-Statements)

H225 - Highly flammable liquid and vapour

SUBSTANCE NOTES:

NAPHTHA (PETROLEUM), LIGHT STEAM-CRACKED, DEBENZENIZED, POLYMERS, HYDROGENATED

ID: 68132-00-3

%: 20.0000 - 30.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Flexibilizer

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

%: 10.0000 - 15.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Polymeric film

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

%: 5.0000 - 15.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Flexibilizer
---------------------	----------	----------	----------	--------------------

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

CANCER	EU - R-phrases	R45 - May cause cancer
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence

SUBSTANCE NOTES: This substance contains less than 3% DMSO extractables. Therefore, it is not classifiable as a carcinogen.

N-HEXANE

ID: 110-54-3

%: 5.0000 - 15.0000	GS: LT-P1	RC: None	NANO: NO	ROLE: Solvent
---------------------	-----------	----------	----------	---------------

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

MAMMALIAN	EU - R-phrases	R20 - Harmful by Inhalation (gas or vapor or dust/mist)
SKIN IRRITATION	EU - R-phrases	R38 - Irritating to skin
ORGAN TOXICANT	EU - R-phrases	R48: Danger of serious damage to health by prolonged exposure.
ACUTE AQUATIC	EU - R-phrases	R51 - Toxic to Aquatic Organisms
REPRODUCTIVE	EU - R-phrases	R62 - Possible risk of impaired fertility
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
REPRODUCTIVE	EU - GHS (H-Statements)	H361f - Suspected of damaging fertility
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption

ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour

SUBSTANCE NOTES:

PARACHLOROBENZOTRIFLUORIDE (PCBTF)

ID: 98-56-6

%: 5.0000 - 10.0000	GS: LT-P1	RC: None	NANO: NO	ROLE: VOC Exempt Solvent
---------------------	-----------	----------	----------	--------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
----------	---	----------------------------

SUBSTANCE NOTES:

SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPHATIC

ID: 64742-89-8

%: 1.0000 - 5.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Solvent
--------------------	----------	----------	----------	---------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER	EU - R-phrases	R45 - May cause cancer
GENE MUTATION	EU - R-phrases	R46 - May cause heritable genetic damage
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B

SUBSTANCE NOTES: This solvent contains less than 0.1% benzene and is not classifiable as a carcinogen, mutagen or any other chronic hazard.

%: Impurity/Residual	GS: LT-P1	RC: None	NANO: NO	ROLE: Impurity/Residual
----------------------	-----------	----------	----------	-------------------------

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

SKIN IRRITATION	EU - R-phrases	R38 - Irritating to skin
ACUTE AQUATIC	EU - R-phrases	R50 - Very Toxic to Aquatic Organisms
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.



Section 5: General Notes



MANUFACTURER INFORMATION

MANUFACTURER: Henry Company
 ADDRESS: 999 N. Sepulveda Blvd
 Suite 800
 El Segundo, CA 90245
 USA
 WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall
 TITLE: Director, Regulatory Compliance Systems
 PHONE: 484-557-1247
 EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	UNK Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)
Independent Lab Manufacturer's self-declaration using results from an independent lab
Second Party Verification by trade association or other interested party
Third Party Verification by independent certifier
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.